



PATENT
Attorney Docket No. 34650-00428

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED

In re Application of:

Alf Larsson et al.

Serial No. 09/306,684

Filed: May 6, 1999

For: SYSTEM AND METHOD FOR IMPLEMENTING A SKEW-TOLERANT
TRUE-SINGLE-PHASE-CLOCKING FLIP-FLOP.

Examiner:

JUL 12 2001

OFFICE OF PETITIONS
DEPUTY A/C PATENTS
Unknown

Group No.: 2816

Assistant Commissioner
For Patents
Washington, D.C. 20231

RECEIVED

APR 20 2001

Dear Sir:

CSC
Technology Center 2800

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:
Assistant Commissioner For Patents,
Washington, D.C. 20231

on APRIL 9, 2001

Signature

DEBBIE HARGROVE

SECOND STATUS INQUIRY REGARDING NOTICE OF MISSING PARTS

1. More than twenty-two (22) months have passed since the filing of this Patent Application and the Applicants still have not received a **Notice to File Missing Parts of Application**.
2. A previous Status Inquiry was mailed on June 7, 2000 (copy attached) and was received by the U.S. Patent and Trademark Office on June 13, 2000 (copy of postcard attached).

3. Kindly advise the undersigned of the present status of the **Notice to File Missing Parts of Application** for this application, by checking the appropriate box on the next page. A return-addressed envelope is provided.

Respectfully submitted,



Holly L. Rudnick
Registration No. 43,065

Dated: 4/9/01

Jenkins & Gilchrist, P.C.
3200 Fountain Place
1445 Ross Avenue
Dallas, Texas 75202-2799
214/855-4780
214/855-4300 (fax)



PATENT
Attorney Docket No. 34650-00428

STATUS INQUIRY REPLY

APPLICATION TITLE: SYSTEM AND METHOD FOR IMPLEMENTING A SKEW-TOLERANT TRUE-SINGLE-PHASE-CLOCKING FLIP-FLOP

INVENTORS: Alf Larsson et al.

Docket: 34650-00428

Filed: May 6, 1999

APPLICATION SERIAL NO. 09/306,684 IS CURRENTLY

ASSIGNED TO GROUP 2816 AND AWAITS:

☐ MAILING OF A NOTICE TO FILE MISSING PARTS OF APPLICATION
MAILED _____

RECEIVED
17820 601
TECHNOLOGY CENTER 2800